

◎ ポリエチレン管用金属継手(離脱防止機能) (耐震型) (JWWA B 116) (1個当単価)

口径 φ	採用価格	備考
---------	------	----

PEおねじ付ソケット

13	623	
20	906	
25	1,180	
30	2,270	
40	2,970	
50	4,680	
20*13(P)	826	
50*40(P)	3,470	

PEめねじ付ソケット

13	623	
20	906	
25	1,180	
30	2,270	
40	2,970	
50	4,680	

PEメーター用ソケット

13	906	
20	1,300	
25	1,770	
30	3,520	
40	4,750	
50	7,190	
13*20(P)	1,130	
13*25(P)	1,450	
20*13(P)	1,110	
20*25(P)	1,600	
25*13(P)	1,450	
25*20(P)	1,610	
25*30(P)	2,930	
30*25(P)	2,860	
40*30(P)	4,270	

PEソケット

13	984	
20	1,420	
25	1,810	
30	3,570	
40	4,810	
50	6,920	
20*13	1,240	
25*13	1,510	
25*20	1,650	
30*20	2,920	
30*25	3,160	
40*20	3,660	
40*25	3,870	
40*30	4,420	
50*20	5,460	
50*25	5,660	
50*30	6,210	
50*40	6,520	

チーズ

13	1,720	
20	2,590	
25	3,440	
30	6,580	
40	9,260	
50	12,700	
20*13	2,220	
25*13	2,880	
25*20	3,120	
30*13	5,600	
30*20	6,110	
30*25	6,390	
40*13	7,290	
40*20	7,600	
40*25	7,890	
40*30	8,900	
50*13	9,910	
50*20	10,200	
50*25	10,600	
50*30	11,700	
50*40	12,300	

◎ ポリエチレン管用金属継手(離脱防止機能) (耐震型) (JWWA B 116) (1個当単価)

口径 φ	採用価格	備考
---------	------	----

PE分・止水栓用

13	654	
20	950	
25	1,260	
30	2,460	
40	3,250	
50	4,760	
13*20(P)	1,060	
20*13(P)	1,080	
25*13(P)	940	
25*20(P)	1,170	

PEエルボ

13	1,100	
20	1,640	
25	2,340	
30	4,270	
40	5,570	
50	8,640	

PE45° エルボ

13	1,290	
20	1,920	
25	2,620	
30	4,690	
40	6,070	
50	8,860	

60° ユニオンバンド

13	1,110	
20	1,600	
25	2,230	

90° ユニオンバンド

13	1,110	
20	1,600	
25	2,230	

パイプエンド

13	746	
20	1,010	
25	1,340	
30	2,550	
40	3,290	
50	4,860	

PE回転継手 分・止水栓用

20	1,770	
25	2,680	
30	4,600	
40	6,850	
50	9,760	
25*20(P)	2,240	

PE回転継手 メーター用ソケット

13	1,500	
20	1,970	
25	2,860	
30	5,830	
40	7,850	
50	11,200	
13*20(P)	1,840	
20*13(P)	1,840	
20*25(P)	2,630	
25*13(P)	2,480	
25*20(P)	2,650	

PE回転継手 おねじ付ソケット

13	1,110	
20	1,480	
25	2,490	
30	3,790	
40	7,410	
50	8,730	
13*20(P)	9,150	

◎ フランジ付属品 (SUSボルト・ナット、芯金入りパッキン) (LSP型) (1箇所当単価)

口径 φ	採用価格	備 考
7. 5K		
75	12,500	
100	18,300	
150	23,200	
200	58,000	
300	87,000	
10K		
75	25,100	
100	27,000	
150	46,400	
200	87,000	
300	130,000	